

AA

0300



PATENT
Customer No. 22,852
Attorney Docket No. 07883.0033

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
Peter BOEKSTEGERS)	Group Art Unit: 3763
Application No.: 09/845,154)	Examiner: Unknown
Filed: May 1, 2001)	
For: METHODS AND DEVICES FOR)	
DELIVERING A VENTRICULAR)	
STENT)	
Assistant Commissioner for Patents		
Washington, DC 20231		

Sir:

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS**

In response to the Notice to File Corrected Application Papers dated June 27, 2001, Applicant submits thirteen (13) sheets of substitute drawings containing Figures 1-15b. These drawing sheets have appropriate margins in accordance with 37 CFR 1.84(g). Applicant also submits herewith a copy of the Notice of File Corrected Application Papers.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account no. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: Susanne C. Tinker
Susanne C. Tinker
Reg. No. 44,472

Dated: August 24, 2001

189877_1

189877_1



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/845,154	05/01/2001	Peter Bookstegers	07883.0033

CONFIRMATION NO. 2668

FORMALITIES LETTER



OC000000006230587

Finnegan, Henderson, Farabow
Garrett & Dunner, L.L.P.
1300 I Street, N.W.
Washington, DC 20005-3315

Date Mailed: 06/27/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

1042220 45154260